



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER OF PATENTS AND TRADEMARKS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

09/801,646 03/09/2001 Tetsuo Saeki 0717-0462P 3943		
2292 7590 05/30/2003		
BIRCH STEWART KOLASCH & BIRCH EXAMINER	EXAMINER	
PO BOX 747 FALLS CHURCH, VA 22040-0747 PATEL, GAUTAM		
ART UNIT PAPER NUM	IBER	
2655	6	
DATE MAILED: 05/30/2003		

Please find below and/or attached an Office communication concerning this application or proceeding.

# Office Action Summary

Application No. 09/801,646

Applicant(s)

Saeki

miner

Gautam R. Patel

Art Unit **2655** 

	The MAILING DATE of this communication appears	on the cover sheet with the correspondence address
	for Reply	
	ORTENED STATUTORY PERIOD FOR REPLY IS SET	TO EXPIRE <u>three</u> MONTH(S) FROM
	MAILING DATE OF THIS COMMUNICATION.  ions of time may be available under the provisions of 37 CFR 1.138 (a). In	no event, however, may a reply be timely filed after SIX (6) MONTHS from the
_	date of this communication. period for reply specified above is less than thirty (30) days, a reply within t	s statutory minimum of thirty (30) days will be considered timely
- If NO p	period for reply is specified above, the maximum statutory period will apply a	and will expire SIX (6) MONTHS from the mailing date of this communication.
- Any re	to reply within the set or extended period for reply will, by statute, cause the ply received by the Office later than three months after the mailing date of the control o	
earned Status	patent term adjustment. See 37 CFR 1.704(b).	
1) 💢	Responsive to communication(s) filed on Jun 19, 2	001 .
2a) 🗌	This action is <b>FINAL</b> . 2b) ☑ This act	ion is non-final.
3) 🗆	Since this application is in condition for allowance closed in accordance with the practice under $Ex\ pa$	except for formal matters, prosecution as to the merits is rte Quayle, 1935 C.D. 11; 453 O.G. 213.
Disposit	tion of Claims	•
4) 💢	Claim(s) <u>1-8</u>	is/are pending in the application.
4	a) Of the above, claim(s)	is/are withdrawn from consideration.
5) 🗌	Claim(s)	is/are allowed.
6) 💢	Claim(s) 1-8	is/are rejected.
7) 🗌	Claim(s)	is/are objected to.
8) 🗌	Claims	are subject to restriction and/or election requirement.
Applica	tion Papers	
9) 🗌	The specification is objected to by the Examiner.	
10)	The drawing(s) filed on is/are	a) $\square$ accepted or b) $\square$ objected to by the Examiner.
	Applicant may not request that any objection to the c	rawing(s) be held in abeyance. See 37 CFR 1.85(a).
11)	The proposed drawing correction filed on	is: a) $\square$ approved b) $\square$ disapproved by the Examiner.
	If approved, corrected drawings are required in reply	to this Office action.
12)	The oath or declaration is objected to by the Exam	ner.
Priority	under 35 U.S.C. §§ 119 and 120	
13)⊠	Acknowledgement is made of a claim for foreign p	riority under 35 U.S.C. § 119(a)-(d) or (f).
a) 🗴	☑ All b)□ Some* c)□ None of:	
	1. $ ot\!$	e been received.
	2. $\square$ Certified copies of the priority documents hav	e been received in Application No
	application from the International Bure	
	ee the attached detailed Office action for a list of th	
14) 📙	Acknowledgement is made of a claim for domestic	
15)	The translation of the foreign language provisional Acknowledgement is made of a claim for domestic	
Attachm		priority under 35 0.5.C. 33 120 and/or 121.
	tice of References Cited (PTO-892)	4) Interview Summary (PTO-413) Paper No(s).
2) No	tice of Draftsperson's Patent Drawing Review (PTO-948)	5) Notice of Informal Patent Application (PTO-152)
3) X Inf	ormation Disclosure Statement(s) (PTO-1449) Paper No(s)3	6}  Other:

Application/Control Number: 09/801,646:

Art Unit: 2655 Paper Number: 6

Page 2

#### **DETAILED ACTION**

1. Claims 1-8 are pending for the examination.

#### Priority

2. Receipt is acknowledged of papers submitted under 35 U.S.C. § 119(a)-(d), which papers have been placed of record in the file.

#### NOTES/REMARKS

 Claims and specification uses word "stem" to describe a base or a foundation for the optical components. The Applicants are strongly cautioned against use of words which do not correspond to the convention meaning either in art or generally accepted meaning.

While applicant may be his or her own lexicographer, a term in a claim may not be given a meaning repugnant to **the usual meaning of that term**. See *In re Hill*, 161 F.2d 367, 73 USPQ 482 (CCPA 1947). The term "stem" in claims 1-8 is used by the claim to mean "a base or foundation or bottom of housing" while the accepted or usual meaning is explained in Webster's Dictionary as "ascending axis of a plant, or slender upright support. It seems none of these meanings are applicable to what the Applicants are trying to claim.

## **Drawings Objection**

4. The drawings are objected for following reasons:

Figures 5-7 are not designated by a legend such as "Prior Art". The legend is necessary in order to clarify what applicant's invention is (see MPEP § 608.02g).

Application/Control Number: 09/801,646: Page 3
Art Unit: 2655 Paper Number: 6

Applicant is required to submit a proposed drawing correction in response to this Office Action. Any proposal by the applicant for amendment of the drawings to cure defects must consist of two parts:

- a. A separate letter to the Draftsman in accordance with MPEP § 608.02 (r); and,
- b. A print or pen-and-ink sketch showing changes in *red ink* in accordance with MPEP § 608.02 (v).

IMPORTANT NOTE: the print or pen-and-ink sketch with proposed corrections shown in *red ink* is required in response to this Office Action, and may not be deferred.

## Specification

5. The disclosure is objected for following reasons.

The title of the invention is neither precise nor descriptive. A new title is required which should include, using twenty words or fewer, claimed features that differentiate the invention from the Prior Art.

## Claim Rejections - 35 U.S.C. § 103

- 6. The following is a quotation of 35 U.S.C. § 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Application/Control Number: 09/801,646: Page 4
Art Unit: 2655 Paper Number: 6

7. Claims 1-8 are rejected under 35 U.S.C. § 103(a) as being unpatentable over Koki, JPO publication 09-312033 (hereafter Koki) [Applicants admitted prior art] in view of Knight et al., US. patent 6,243,350 (hereafter Knight). NOTE: Since specification already summarizes the Koki patent in pages 1-7, these pages are used to describe the limitations for the convenience of the Applicants.

As to claim 1, Koki discloses the invention as claimed [see Figs. 5-7], including an optical pickup which has a stem [base], a light source, a light detector, and a light separating device comprising:

- a stem [fig. 5, unit 500b] [pg. 1, line 12 to pg. 2, line 1];
- a light source [fig. 5, unit 101] provided on the stem [pg. 1, line 12 to pg. 2, line 1];

a light detector [fig. 5, unit 106] provided on the stem for detecting light emitted by the light source which is reflected by an optical recording medium [pg. 1, line 12 to pg. 2, line 1]; and

a light separating device [fig. 5, unit 105], divided into at least a first area and a second area, for separating the light incident on each of the first area and the second area into a plurality of light components and directing each of the light components in a prescribed direction [pg. 2-4],

wherein the light detector includes a light receiver, divided into a first light receiving region [fig. 7, 106a] and a second light receiving region [fig. 7, 106b], for receiving the light components directed by the first area of the light separating device, the first light receiving region and the second light receiving region are located so that a first direction is substantially perpendicular to a second direction, where the first direction is a direction of a phantom straight line connecting a light emitting point of the light source and a focal point on

Application/Control Number: 09/801,646: Page 5
Art Unit: 2655 Paper Number: 6

the light detector of the light transmitted through the light separating device, and the second direction is a direction of a dividing line for dividing the light receiver into the first light receiving region and the second light receiving region [pg. 2-4];

Koki discloses all of the above elements including a base [stem] for putting all components next to each other. Koki does not specifically discloses type of the base material or related characteristics of that material i.e. temp coefficient of expansion and/or contraction of the base or other mounted components.

However, it is well known in the art that all system components are susceptible to temperature changes and there are two types of thermal compensation schemes, such as active and passive. Both are well known in the art. Also Knight clearly discloses:

a material of the stem and a wavelength of the light from the light source are selected so that a distance of movement of the focal point on the light detector in a direction perpendicular to the second direction is within a prescribed tolerance limit, the movement being caused by a change in the wavelength of the light emitted by the light source and expansion or contraction of the stem, which are both caused by a temperature change of the optical pickup apparatus [col. 22, line 54 to col. 23, line 33 and fig. 20A and 20B]. Both Koki and Knight are interested in improving the quality of signals in an optical disk device. Both Koki and Knight show light source objective lens, motor and plural related optical elements.

One of ordinary skill in the art at the time of invention would have realized that the system components of Koki system would have been sensitive to temperature and even though Koki has an active temperature compensation scheme it would be advantageous to provide an extra passive compensation

Application/Control Number: 09/801,646: Page 6
Art Unit: 2655 Paper Number: 6

scheme or replace active scheme with passive scheme to improve the quality of signals and reduce some components. Therefore, it would have been obvious to have used a passive thermal compensation scheme in the system of Koki as taught by Knight because one would be motivated to reduce thermal noise and related errors and provide better signal controls and improve quality of the signals [col. 22, line 32-53; Knight].

- 8. As to claim 2, Koki discloses:
  - a stem [fig. 5, unit 500b] [pg. 1, line 12 to pg. 2, line 1];
- a light source [fig. 5, unit 101] provided on the stem [pg. 1, line 12 to pg. 2, line 1];

a light detector [fig. 5, unit 106] provided on the stem for detecting light emitted by the light source which is reflected by an optical recording medium [pg. 1, line 12 to pg. 2, line 1]; and

a light separating device [fig. 5, unit 105], divided into at least a first area and a second area, for separating the light incident on each of the first area and the second area into a plurality of light components and directing each of the light components in a prescribed direction [pg. 2-4],

wherein the light detector includes a light receiver, divided into a first light receiving region [fig. 7, 106a] and a second light receiving region [fig. 7, 106b], for receiving the light components directed by the first area of the light separating device, the first light receiving region and the second light receiving region are located so that a first direction is substantially perpendicular to a second direction, where the first direction is a direction of a phantom straight line connecting a light emitting point of the light source and a focal point on the light detector of the light transmitted through the light separating device, and the second direction is a direction of a dividing line for dividing the light

Application/Control Number: 09/801,646: Page 7
Art Unit: 2655 Paper Number: 6

receiver into the first light receiving region and the second light receiving region [pg. 2-4];

Koki discloses all of the above elements including a base [stem] for putting all components next to each other. Koki does not specifically discloses type of the base material or related characteristics of that material i.e. temp coefficient of expansion and/or contraction of the base or other mounted components.

However, it is well known in the art that all system components are susceptible to temperature changes and there are two types of thermal compensation schemes, such as active and passive. Both are well known in the art. Also Knight clearly discloses:

a material of the stem and a wavelength of the light from the light source are selected so that a distance of movement of the focal point on the light detector in a direction perpendicular to the second direction is within a prescribed tolerance limit, the movement being caused by a change in the wavelength of the light emitted by the light source and expansion or contraction of the stem, which are both caused by a temperature change of the optical pickup apparatus [col. 22, line 54 to col. 23, line 33 and fig. 20A and 20B]. Both Koki and Knight are interested in improving the quality of signals in an optical disk device. Both Koki and Knight show light source objective lens, motor and plural related optical elements.

One of ordinary skill in the art at the time of invention would have realized that the system components of Koki system would have been sensitive to temperature and even though Koki has an active temperature compensation scheme it would be advantageous to provide an extra passive compensation scheme or replace active scheme with passive scheme to improve the quality of signals and reduce some components. Therefore, it would have been obvious to

Application/Control Number: 09/801,646: Page 8
Art Unit: 2655 Paper Number: 6

have used a passive thermal compensation scheme in the system of Koki as taught by Knight because one would be motivated to reduce thermal noise and related errors and provide better signal controls and improve quality of the signals [col. 22, line 32-53; Knight].

### 9. As to claim 3, Koki discloses:

a beam splitter [fig. 5, unit 102] for separating a part of the light reflected by the optical recording medium and directing the separated part to the light detector [pg. 1, line 12 to pg. 2, line 1],

Combination of Koki & Knight discloses all of the above elements including a base plate [stem], lens mount base and lens cells and that compensation takes into account change of the wavelength [col. 22, lines 5467; Knight]. Combination of Koki & Knight does not specifically disclose that the beam splitter is also part of the thermal compensation scheme when wavelength changes to the extent claimed.

However, it is well known in the art that all modern system are placing more and more components on the same base or are integrating them as close as possible for space saving. It would be evident to one of ordinary skill in the art that these components will also be susceptible to temperature changes and some form of temperature compensation will be necessary for them.

Therefore, it would have been obvious to have used a passive thermal compensation scheme on the beam splitter which is located on the same base in the system of Koki because one would be motivated to reduce thermal noise and related errors and provide better signal controls and improve quality of the signals for the beam splitter in wake of changes in the wavelength also.

Application/Control Number: 09/801,646: Page 9
Art Unit: 2655 Paper Number: 6

10. As to claim 4, it is rejected for the similar reasons set forth in the rejection of claim 3, supra.

### 11. As to claim 5, Koki discloses:

the light separating device is divided into at least the first area and the second area by a dividing line which is substantially perpendicular to a tracking direction of the optical recording medium [pg. 2-4].

- 12. As to claim 6, it is rejected for the similar reasons set forth in the rejection of claim 5, <u>supra</u>.
- 13. As to claim 7, Koki discloses:

the light receiver is divided into at least the first light receiving region and the second light receiving region by the dividing line which is substantially parallel to a dividing line for dividing the light separating device into at least the first area and the second area [pg. 2-4].

14. As to claim 8, it is rejected for the similar reasons set forth in the rejection of claim 5, supra.

#### Other prior art cited

- 15. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.
- a. Courtney et al. (US. patent 4,871,226) "Mounting of optical fibers to integrated optical chips".

Application/Control Number: 09/801,646:

Page 10 Art Unit: 2655 Paper Number: 6

b. Knight et al. (US. patent 6,449,221) "Storage media for optical storage systems".

## Contact information

Any inquiry concerning this communication or earlier communications 16. from the examiner should be directed to Gautam R. Patel whose telephone number is (703) 308-7940. The examiner can normally be reached on Monday through Thursday from 7:30 to 6.

The appropriate fax number for the organization (Group 2650) where this application or proceeding is assigned is (703) 872-9314.

Cerpary

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Ms. Doris To can be reached on (703) 305-4827.

Any inquiry of a general nature or relating to the status of this application should be directed to the group receptionist whose telephone number is (703) 305-4700 or the group Customer Service section whose telephone number is (703) 306-0377.

Gautam R. Patel Patent Examiner Group Art Unit 2655

May 29, 2003